



A3247A

SERVICE PARTS LIST

THE MGA 1600

Item No.	DESCRIPTION	Commencing (C) 68851		Quantity	MODIFICATIONS		REMARKS
		Part Number	Illus. No.		New Part Number	Change Point	
<b>INSTRUMENTS</b>							
1	Speedometer (miles) 10/43 axle ratio	17H292	1	1			
2	Speedometer (kilos) 10/43 axle ratio	17H293		1	BHA4220	Fin. (C) 100351	17H293 not available; use BHA4220
3	Speedometer (miles) 10/41 axle ratio			1	BHA4060	Com. (C) 100352	
4	Speedometer (kilos) 10/41 axle ratio			1	BHA4226		
5	Speedometer (miles) 9/41 axle ratio	17H295		1			For alternative axle ratio
6	Speedometer (kilos) 9/41 axle ratio	BHA4221		1			
7	Bezel	N.S.P.		1			Was 27H307
8	Strap-fixing	AJH5176	2	1			
9	Glass	N.S.P.		1			Was AJH5177
10	Ring (rubber)	AJH5178	3	1			
11	Knob—trip	37H613	4	1			Part No. change; was AJH5179
12	Screw—knob		5	1	17H1658	Com. (C) 100352	
13	Washer—spring	27H387	6	2	LWZ302	Fin. (C) 100351	27H387 not available; use LWZ302
14	Washer—shakeproof			2	LWZ403		Part No. change; was 17H1638
15	Cable assembly—speedometer 5' 3" (160.02 cm.)	27H1393	8	1	BCA4079		27H1393 not available; use BCA4079
16	Cable inner			1	17H1346	Com. (C) 74979	
17	Cable outer			1	17H1586		
18	Cable assembly—speedometer 5' 6" (167.65 cm.)	27H1391	10	1			Part No. change; was ACC8788
19	Cable inner	1139138		1			
20	Cable—outer	17H756		1			
21	Clip—cable to bulkhead	17H757		1			
22	Sleeve—clip (rubber)	PCR0709	11	1			
23	Nut fixing clip	ACH8529	12	1			
24	Washer—spring—nut	FNZ104		1			
25	Grommet—cable through dash	LWZ204		1			
26	Grommet—blanking cable hole in dash	ACB8474	13	1			
27	Revolution counter	4G2541	14	1			
28	Bezel	17H300	15	1			
29	Strap fixing	N.S.P.		1			Was 27H307
30	Glass	AJH5176	16	1			
31	Ring (rubber)	N.S.P.		1			Was AJH5177
32	Washer—spring	AJH5178	17	1			
33	Nut knurled	LWZ2302	18	2			Part No change; was 27H387
34	Cable assembly—revolution counter 4' 0" (121.92 cm.)	17H932	19	2			
35	Cable inner	1139141	20	1			
36	Cable outer	17H630	21	1			
37	Cable assembly—revolution counter 3' 2" (96.52 cm.)	17H1343	22	1			
38	Cable inner	27H1801		1			
39	Cable outer	27H1860		1			
40	Grommet—cable through dash	27H1861		1			
41	Grommet—blanking cable hole in dash	ACB8474	23	1			
		4G2541	24	1			

SERVICE PARTS LIST

THE MGA 1600

Item No.	DESCRIPTION	Commencing (C) 68851		Quantity	MODIFICATIONS		REMARKS
		Part Number	Illus. No.		New Part Number	Change Point	
	<b>Instruments—continued</b>						
1	Gauge—oil pressure and temperature (fahrenheit)	17H298	25	1			
2	Gauge—oil pressure and temperature (centigrade)	BHA4110		1			
3	Bezel	N.S.P.		1			Was AJH5182
4	Glass	N.S.P.		1			Was 17H1068
5	Ring (rubber)	17H1821	26	1			
6	Ring (rubber)	27H972		1			
7	Strip—window	N.S.P.		1			Centigrade gauge
8	Strap—fixing	AJH5186	28	1			
9	Washer—spring	27H387	29	2	LWZ302		27H387 not available; use LWZ302
10	Nut—knurled	17H932	30	2			
11	<b>Pipe assembly—oil gauge</b>	AHH5323	31	1			
12	Pipe—connector to engine (flexible)	AAA627	32	1			
13	Pipe—connector to engine (flexible)			1	AHH5820	Com. (C) 91240	Standard model. Part No. change; was 83866
14	Washer—oil pipe to oil gauge (leather)	2K4936	33	1			All round disc brakes model
15	Connector—oil gauge pipe	AAA628	34	1			Part No. change; was 83875
16	Screw—connector to starter bracket	HZS0406	35	1			
17	Nut—screw	LNZ104	36	1			
18	Washer—plain—screw	PWZ104	37	1			
19	Grommet—oil gauge pipe	AAA643	38	1			Part No. change; was 84138
20	Clip—oil gauge pipe to bulkhead (front)	PCR0207	39	1			
21	Clip—oil gauge pipe to bulkhead (rear)	PCR0207		1			
22	Clip—thermometer pipe to bulkhead (front and rear)	PCR0307	40	3			
23	Screw—oil and thermometer pipe clip	PMZ0307		2			
24	Nut—screw	FNZ103	41	3			
25	Washer—spring—screw	LWZ203	42	3			
26	Clip—thermometer pipe	BHA4081	43	1			
27	Retainer—clip	AHH5802	44	1			
28	<b>Gauge—fuel</b>	17H299	45	1			
29	Bezel	N.S.P.		1			Was AJH5182
30	Glass	N.S.P.		1			Was 17H1068
31	Ring (rubber)	17H1821	46	1			
32	Strap—fixing	AJH5185	47	1			
33	Washer—spring	27H387	48	1	LWZ302		27H387 not available; use LWZ302
34	Nut—knurled	17H932	49	1			